Product Specification Sheet



BST Detectable Flexi Tie ID Tags | FAMXB



The BST Flexi Detectable Tie ID Tags

The BST Flexi Tie ID Tag boasts the same high quality features as our standard detectable PPC Tie ID tags but is made using highly flexible detectable TPE. They have been specifically developed for use in the food industry to address concerns of contamination from plastic tags.

The flexibility of these tags allows for easy application. They are suitable for a variety of applications including the tagging of machinery and other assets. As well as being highly flexible they are also metal detectable and x-ray visible, making them less likely to cause contamination.

BST Flexi Tie ID Tag Advantages

- ✓ Detectable by in-line metal detection systems & x-ray inspection systems
- √ Adjustable size and snap resistant due to the flexibility of the material
- ✓ Strong, durable, shatter resistant & chemically resistant material
- ✓ Compliant with EU & FDA food contact legislation, including mandatory EU migration test standards
- ✓ Can be used as part of HACCP and BRC procedures
- ✓ Displays due diligence in the prevention of foreign body contamination

Product and Packaging Information


Product Code	FAMXB	Dimensions	Overall Legth 260mm
Pack Size	10	Material	TPE
Colour	Blue	Detectability	Metal & X-Ray Visible
Pack Weight	0.023kg	Country Of Origin	Britain
AntiBacterial	No	Commodity Code	40059900

Safety Certificates / Approvals

FDA Approved	BRCGS Compliant	ISO 9001:2015
FU Compliant	Made In Britain	



Measurements



Food Contact Status (EU)

Hereby we declare that the material TPE in various colours is manufactured in line with the relevant requirements of 2023/2006/EC as amended by Commission Regulation (EC) 282/2008, on good manufacturing practice (GMP) for materials and articles intended to come into contact with food.

The raw materials used in the manufacturing process of the above mentioned materials (TPE in various colours) can be considered suitable for food contact applications in terms of compliance with European regulations. The raw materials used meet the relevant requirements of EU Framework Regulation 1935/2004 on materials and articles intended to come into contact with food.

All monomers, starting substances and additives used to manufacture these grades are listed in Commission Regulation (EU) No. 10/2011 as amended by (EU) 321/2011, (EU) 1282/2011, (EU) 1183/2012, (EU) 202/2014, (EU) 2015/174, (EU) 2016/1416, (EU) 2017/752, (EU) 2018/79, (EU) 2018/213, (EU) 2018/831, (EU) 2019/37, (EU)2019/1338, and (EU) 2020/1245 respectively, related to Plastic Materials and Articles intended to come into contact with foodstuffs.

Colourants used are compliant with European Council Resolution AP(89)1 on the use of colourants in plastic materials coming into contact with food, and also with German BfR Recommendations (IX).

Food Contact Status (FDA)

The polypropylene (PP) base resin used meets the FDA (Food and Drug Administration) requirements contained in the Code of Federal Regulations in 21 CFR 177.1520 (a) (1) (i) , (b) Olefin Polymers.

The styrene block copolymer (SEBS) used complies with the FDA, Title 21CFR 177.1810 (3).

The paraffinic white oil-based plasticizer used complies with FDA, Title 21CFR 172.878, Title 21CFR 178.3620 (a) and Title 21CFR 178.3740.

Also the mineral additives and the pigments used are GRAS (Generally Recognized As Safe) or are FDA cleared under specific FDA citations.

Animal Derivatives

To the best of our knowledge there are no ingredients in the formulation of this material that is of animal origin. As such, this material should not pass on any animal derived disease like BSE (Bovine Spongiform Encephalopathy) or other TSE (Transmissible Spongiform Encephalopathy).

Metal Detectability

BST flexi Tie ID Tags are made using TPE, an electromagnetically detectable and x-ray visible plastic compound. The metal detectability of this product will vary based on, but not limited to:

- Calibration Levels
- Product Type (E.g. Wet, Dry, Frozen, Liquid)
- Aperture Dimensions
- Orientation

Orientation is a highly influential factor for the metal detectability of a contaminant that is non spherical, i.e. it will be easier to detect the contaminant when passing in one orientation compared to another - this is known as the orientation effect.

For this reason BST recommend that all our products be thoroughly tested on your metal detection systems by a trained and certified professional. It may be the case that your equipment needs to be re-calibrated in order to reliably detect this product. Such a professional should be available by contacting the manufacturer of your metal detection system.

X-Ray Visibility

In contrast to metal detection, x-ray visibility is determined by material density. For this reason, TPE contains an additional, evenly dispersed, food safe, high density additive. X-ray detection performance will be reduced when small fragments are buried in deeper, denser products - detection will depend on product type and density.

We highly recommend that all our products be thoroughly tested on your x-ray inspection systems by a trained and certified professional. It may be the case that your equipment needs to be recalibrated in order to reliably detect this product. Such a professional should be available by contacting the manufacturer of your x-ray inspection system.

The information provided in this product specification sheet is based on our experience and knowledge to date and we believe it to be true and reliable. This information is intended as a guide for your use of our products, the use of which is entirely at your own discretion and risk. We, BS Teasdale & Son Ltd, cannot guarantee favourable results and assume no liability in connection with the use of our products. © 2023 BS Teasdale & Son Ltd. All Content, Data & Images are owned by BS Teasdale & Son Ltd and are protected by international copyright law.