

Key Reels | KR*



Stainless Steel Key Reels

These spring retracting key reels feature a belt clip, cord and split ring or clasp. These products are manufactured specifically for environments where “due diligence” must be shown in the prevention of foreign body product contamination. The cords are manufactured from 1mm stainless steel and have a choice of two cord lengths. These key reels are ideal for keeping tools, ID cards/badges and other items handy but secure.

Stainless Steel Key Reel Advantages

- ✓ Detectable by conventional metal detection & x-ray inspection systems
- ✓ Ideal for keeping tools, ID cards/badges and other items handy and secure
- ✓ Two models available with different cord lengths
- ✓ Can be used as part of HACCP and BRC procedures
- ✓ Displays due diligence in the prevention of foreign body contamination

Product and Packaging Information

| | | | |
|------------------------|-----------------------|--------------------------|-----------------|
| Product Code | KR52110 | Dimensions | 52mm Ø |
| Cord Length | 1100mm | End Clip | Steel Clasp |
| Casing Material | Stainless Steel | User Clip | Steel Belt Clip |
| Weight | 0.1kg | Pulling Strength | 200g |
| <hr/> | | | |
| Product Code | KR4060 | Dimensions | 40mm Ø |
| Cord Length | 600mm | End Clip | 30mm Split Ring |
| Casing Material | Chrome Plated Iron | User Clip | Steel Belt Clip |
| Weight | 0.05kg | Pulling Strength | 100-120g |
| <hr/> | | | |
| Pack Size | 1 | Cord Material | Stainless Steel |
| Colour | Silver | Country Of Origin | China |
| Detectability | Metal & X-Ray Visible | Commodity Code | 83081000 |

Safety Certificates / Approvals

BRCGS Compliant

ISO 9001:2015



Detectability

Subject to correct calibration of metal detection / x-ray inspection systems, this product should be fully metal detectable and x-ray visible. The detectability of this product will vary based on, but not limited to the following factors:

- Calibration Levels
- Product Type (E.g. Wet, Dry, Frozen, Liquid)
- Aperture Dimensions
- Orientation

Orientation is a highly influential factor for the metal detectability of a contaminant that is non spherical, i.e. it will be easier to detect the contaminant when passing in one orientation compared to another - this is known as the orientation effect.

For this reason BST recommend that all our products be thoroughly tested on your metal detection systems by a trained and certified professional. It may be the case that your equipment needs to be re-calibrated in order to reliably detect this product. Such a professional should be available by contacting the manufacturer of your metal detection system.

The information provided in this product specification sheet is based on our experience and knowledge to date and we believe it to be true and reliable. This information is intended as a guide for your use of our products, the use of which is entirely at your own discretion and risk. We, BS Teasdale & Son Ltd, cannot guarantee favourable results and assume no liability in connection with the use of our products. © 2024 BS Teasdale & Son Ltd. All Content, Data & Images are owned by BS Teasdale & Son Ltd and are protected by international copyright law.